

November 8, 2022

Mr. Micah Voulgaris  
Groundwater Management Area 9 Coordinator  
Cow Creek Groundwater Conservation District  
9 Toepperwein Rd.  
Boerne, TX 78006

Dear Mr. Voulgaris:

The purpose of this letter is to notify you that the desired future conditions explanatory report and other materials for Groundwater Management Area 9 required by Texas Water Code § 36.108(d-3) are administratively complete in accordance with 31 Texas Administrative Code § 356.33.

On December 9, 2021, we received the final packet for desired future conditions adopted by groundwater conservation district representatives in Groundwater Management Area 9. Your submission included: (1) the explanatory report and the adopted desired future conditions for the relevant aquifers; (2) the signed resolution; (3) the postings, minutes, and voting record for the public meeting in which the desired future conditions were adopted; and (4) contact information for the groundwater management area coordinator. On October 11, 2022, we requested clarification regarding items required to evaluate the materials for administrative completeness. We received final clarifications regarding these items on October 18, 2022.

We will provide you with modeled available groundwater values for these aquifers no later than 180 days after the date of this letter in accordance with 31 Texas Administrative Code § 356.35. Please contact Jean Perez of our Groundwater staff at 512-936-4017 or [jean.perez@twdb.texas.gov](mailto:jean.perez@twdb.texas.gov) if you have any questions or need any further information.

Respectfully,

Jeff Walker  
Executive Administrator

c w/o enc: Matt Nelson, Office of Planning  
Natalie Ballew, Groundwater Division  
Temple McKinnon, Water Supply Planning  
Sarah Lee, Water Supply Planning

#### Our Mission

Leading the state's efforts in  
ensuring a secure water future  
for Texas and its citizens

#### Board Members

Brooke T. Paup, Chairwoman | George B. Peyton V, Board Member  
Jeff Walker, Executive Administrator